

# *Lohmann*

# *Brown-Classic*

## *Layers in Alternative Systems*



*Performance Data*  
*Body weight tables*

BREEDING FOR SUCCESS ... TOGETHER



**LOHMANN**  
BREEDERS

# *Performance Data*

## **LOHMANN BROWN-CLASSIC**

*Layers in Alternative Systems*

### *Egg Production*



*Age at 50 % production* 140 – 145 days

*Peak production* 94 – 96 %

#### *Eggs per Hen Housed*

*in 72 weeks of age* 321

*in 80 weeks of age* 363

*in 90 weeks of age* 412

#### *Egg Mass per Hen Housed*

*in 72 weeks of age* 20.32 kg

*in 80 weeks of age* 23.13 kg

*in 90 weeks of age* 26.39 kg

#### *Average Egg Weight*

*in 72 weeks of age* 63.3 g

*in 80 weeks of age* 63.7 g

*in 90 weeks of age* 64.1 g



### *Egg Characteristics*



*Shell colour:* attractive brown

*Shell breaking strength:* > 40 Newton

### *Feed*



### *Conversion Ratio*

2.15 – 2.25 kg/kg egg mass

### *Body weight*



*at 17 weeks* 1.42 kg

*at the end of production* 2.05 kg

### *Liveability*



*Rearing* 98 – 99 %

*Laying period (72 weeks)* 94 – 95 %

*Laying period (90 weeks)* 91 – 92 %

# *Body weight development*

## **LOHMANN BROWN-CLASSIC**




<i>Age</i>	<i>Min.</i>	<i>Max.</i>	<i>Standard</i>
1	73	77	75
2	126	134	130
3	189	201	195
4	265	281	273
5	355	377	366
6	455	483	469
7	556	590	573
8	657	697	677
9	754	800	777
10	847	899	873
11	934	992	963
12	1016	1078	1047
13	1094	1162	1128
14	1169	1241	1205
15	1241	1317	1279
16	1310	1392	1351
17	1378	1464	1421
18	1448	1538	1493
19	1518	1612	1565
20	1586	1684	1635
21	1650	1752	1701
22	1707	1813	1760
23	1754	1862	1808
24	1791	1901	1846
25	1818	1930	1874
26	1836	1950	1893
27	1849	1963	1906
28	1857	1971	1914
29	1860	1976	1918
30	1863	1979	1921


<i>Age</i>	<i>Min.</i>	<i>Max.</i>	<i>Standard</i>
31	1866	1982	1924
32	1868	1984	1926
33	1871	1987	1929
34	1874	1990	1932
35	1876	1992	1934
36	1878	1994	1936
37	1881	1997	1939
38	1883	1999	1941
39	1886	2002	1944
40	1888	2004	1946
41	1891	2007	1949
42	1893	2011	1952
43	1895	2013	1954
44	1897	2015	1956
45	1900	2018	1959
46	1902	2020	1961
47	1905	2023	1964
48	1907	2025	1966
49	1910	2028	1969
50	1913	2031	1972
51	1915	2033	1974
52	1917	2035	1976
53	1920	2038	1979
54	1922	2040	1981
55	1925	2045	1985
56	1926	2046	1986
57	1930	2050	1990
58	1932	2052	1992
59	1934	2054	1994
60	1936	2056	1996

<i>Age</i>	<i>Min.</i>	<i>Max.</i>	<i>Standard</i>
61	1939	2059	1999
62	1941	2061	2001
63	1944	2064	2004
64	1946	2066	2006
65	1949	2069	2009
66	1952	2072	2012
67	1954	2074	2014
68	1956	2076	2016
69	1958	2080	2019
70	1960	2082	2021
71	1963	2085	2024
72	1965	2087	2026
73	1968	2090	2029
74	1971	2093	2032
75	1973	2095	2034
76	1975	2097	2036
77	1978	2100	2039
78	1980	2102	2041
79	1983	2105	2044
80	1985	2107	2046
81	1986	2108	2047
82	1987	2109	2048
83	1988	2110	2049
84	1989	2112	2050
85	1989	2113	2051
86	1989	2113	2051
87	1990	2114	2052
88	1990	2114	2052
89	1991	2115	2053
90	1991	2115	2053

# *Body weight development*

**LOHMANN BROWN-CLASSIC**





Time in Weeks

# Performance Goals

## LOHMANN BROWN-CLASSIC

Age in Weeks	Egg No. per H.H.	Rate of Lay		Egg Weight		Egg Mass	
		%		g		g/H.D.	kg/H.H.
	cumulative	per H.H.	per H.D.	in Week	cumulative	in Week	cumulative
19	0.6	8.9	8.9	43.4	43.4	3.9	0.03
20	3.2	36.2	36.3	45.9	45.4	16.7	0.14
21	6.9	54.1	54.3	48.5	47.1	26.3	0.33
22	12.0	71.5	71.8	50.9	48.7	36.6	0.58
23	17.7	81.9	82.2	53.1	50.1	43.7	0.89
24	23.8	87.3	87.7	55.1	51.4	48.3	1.22
25	30.1	90.5	90.9	56.8	52.5	51.6	1.58
26	36.6	92.2	92.7	58.0	53.5	53.8	1.96
27	43.1	93.2	93.8	59.1	54.3	55.4	2.34
28	49.7	93.7	94.4	60.0	55.1	56.6	2.74
29	56.2	94.0	94.7	60.9	55.8	57.6	3.14
30	62.8	94.1	94.9	61.5	56.4	58.3	3.54
31	69.4	94.3	95.1	62.0	56.9	58.9	3.95
32	76.0	94.3	95.2	62.4	57.4	59.4	4.36
33	82.6	94.4	95.3	62.7	57.8	59.7	4.78
34	89.2	94.3	95.3	62.9	58.2	59.9	5.19
35	95.8	94.1	95.2	63.1	58.5	60.1	5.61
36	102.4	93.9	95.1	63.3	58.8	60.2	6.02
37	109.0	93.7	94.9	63.5	59.1	60.2	6.44
38	115.5	93.5	94.7	63.6	59.4	60.2	6.86
39	122.0	93.2	94.6	63.8	59.6	60.3	7.27
40	128.5	92.9	94.3	63.9	59.8	60.3	7.69
41	135.0	92.6	94.1	64.1	60.0	60.3	8.10
42	141.5	92.3	93.9	64.3	60.2	60.3	8.52
43	147.9	92.0	93.7	64.4	60.4	60.3	8.93
44	154.3	91.7	93.5	64.6	60.6	60.3	9.35
45	160.7	91.4	93.2	64.7	60.7	60.3	9.76
46	167.1	91.0	92.9	64.8	60.9	60.2	10.17
47	173.4	90.4	92.4	64.9	61.0	60.0	10.59
48	179.7	90.1	92.1	65.0	61.2	59.9	11.00
49	186.0	89.7	91.8	65.1	61.3	59.8	11.40
50	192.3	89.1	91.4	65.2	61.4	59.6	11.81
51	198.5	88.7	91.1	65.3	61.6	59.5	12.22
52	204.7	88.3	90.7	65.4	61.7	59.3	12.62
53	210.8	87.8	90.4	65.5	61.8	59.2	13.02
54	216.9	87.4	90.0	65.6	61.9	59.0	13.42
55	223.0	86.9	89.7	65.6	62.0	58.8	13.82

# Performance Goals


## LOHMANN BROWN-CLASSIC




Age in Weeks	Egg No. per H.H.	Rate of Lay %		Egg Weight g		Egg Mass g/H.D. kg/H.H.	
		cumulative	per H.H.	per H.D.	in Week	cumulative	in Week
56	229.1		86.5	89.3	65.7	62.1	58.7
57	235.1		86.0	88.9	65.8	62.2	58.5
58	241.1		85.5	88.5	65.8	62.3	58.2
59	247.0		85.1	88.2	65.9	62.4	58.1
60	252.9		84.6	87.8	66.0	62.4	57.9
61	258.8		84.0	87.4	66.0	62.5	57.7
62	264.7		83.5	87.0	66.1	62.6	57.5
63	270.5		83.1	86.6	66.2	62.7	57.3
64	276.3		82.6	86.2	66.2	62.8	57.1
65	282.0		82.1	85.8	66.3	62.8	56.9
66	287.7		81.5	85.3	66.3	62.9	56.6
67	293.4		81.0	84.9	66.4	63.0	56.4
68	299.0		80.4	84.5	66.4	63.0	56.1
69	304.6		79.9	84.0	66.5	63.1	55.9
70	310.1		79.3	83.6	66.5	63.2	55.6
71	315.7		78.6	83.0	66.6	63.2	55.3
72	321.1		78.0	82.5	66.6	63.3	55.0
73	326.5		77.4	82.0	66.7	63.3	54.7
74	331.9		76.7	81.5	66.7	63.4	54.4
75	337.2		76.1	80.9	66.8	63.4	54.0
76	342.5		75.5	80.4	66.8	63.5	53.7
77	347.7		74.8	79.8	66.9	63.5	53.4
78	352.9		74.2	79.3	66.9	63.6	53.1
79	358.1		73.5	78.7	67.0	63.6	52.7
80	363.2		72.8	78.2	67.1	63.7	52.4
81	368.2		72.2	77.6	67.1	63.7	52.1
82	373.2		71.5	77.0	67.2	63.8	51.7
83	378.2		70.8	76.4	67.2	63.8	51.4
84	383.1		70.1	75.9	67.3	63.9	51.1
85	388.0		69.4	75.3	67.4	63.9	50.7
86	392.8		68.7	74.7	67.4	64.0	50.3
87	397.5		68.0	74.1	67.5	64.0	50.0
88	402.2		67.3	73.4	67.5	64.0	49.6
89	406.9		66.6	72.8	67.6	64.1	49.2
90	411.5		65.9	72.2	67.7	64.1	48.8
							26.39

# Egg Production Curve

## LOHMANN BROWN-CLASSIC





Weight in Grams  
*Weight in Weeks*

## *Notes*

## Disclaimer

The information, advices and suggestions given in this publication should be used for guidance and educational purposes only, recognizing that local environmental and disease conditions may vary and a guide cannot cover all possible circumstances. While every attempt has been made to ensure that the information presented is accurate and reliable at the time of publication, LOHMANN cannot accept responsibility for any errors, omissions or

inaccuracies in such information or management suggestions. Further, LOHMANN does not warrant or make any representations or guarantees regarding the use, validity, accuracy, or reliability of, or flock performance or productivity resulting from the use of, or otherwise respecting, such information or management suggestions. In no event LOHMANN be liable for any special, indirect or consequential damages or special damages what-

soever arising out of or in connection with the use of the information or management suggestions containing in this management guide.

**This publication remains the property of LOHMANN. You may not copy or distribute any portions of this publication without the written prior consent of LOHMANN.**

06/21\_W01-21

*LOHmann BREEDERS GmbH*  
Am Seedeich 9–11 | 27472 Cuxhaven | Germany  
Phone +49 (0) 4721/505-0  
Email [info@lohmann-breeders.com](mailto:info@lohmann-breeders.com) | [www.lohmann-breeders.com](http://www.lohmann-breeders.com)



**LOHMANN**  
BREEDERS

BREEDING FOR SUCCESS ... TOGETHER